



Project: _____ Type: _____
Item. No. _____
Location: _____
Notes: _____

classic trimless

recessed downlights

standard features

- Electrical rating: 120V, 60Hz
- Lamp: see Ordering Information
- Power Cord: 18/2 SPT-2 (black) male plug
- Power Wiring: four wiring configurations listed in the ordering information below
- Finish: Painted - black (BK)
Plated - antique brass (AB), brushed nickel (BN), polished brass (PB), polished chrome (PC)
- Construction: steel
- Installation method: adjustable mounting ring pre-installed 7/8" from canister opening. Installation hole diameter 3³/₈".
- Height: 2⁷/₈", 3⁵/₈", and 4¹/₂"
- Diameter: 3¹/₄"
- Canisters use reflector-type lamps
- UL and cUL

options

- Other finishes
- Other lamp options
- Contact factory for custom options



Fixtures require either a power cordset or an appropriate control device. See ordering information below.



see following pages for ordering information

ordering information

item number t-shape female	item number standard female	catalog number	height	wiring	finish	lamp
N/A	2020-1010	GS35-1-AB-R	2 7/8"	10' power cord with rollswitch	AB	35HR16
N/A	2020-1011	GS35-1-BK-R	2 7/8"	10' power cord with rollswitch	BK	35HR16
N/A	2020-1012	GS35-1-PB-R	2 7/8"	10' power cord with rollswitch	PB	35HR16
N/A	2020-1013	GS35-1-PC-R	2 7/8"	10' power cord with rollswitch	PC	35HR16
N/A	2020-1014	GS35-1-BN-R	2 7/8"	10' power cord with rollswitch	BN	35HR16
2000-0036	2020-1020	GS35-2-AB-R	2 7/8"	10' power cord with rollswitch, 30" female	AB	35HR16
2000-0037	2020-1021	GS35-2-BK-R	2 7/8"	10' power cord with rollswitch, 30" female	BK	35HR16
2000-0038	2020-1022	GS35-2-PB-R	2 7/8"	10' power cord with rollswitch, 30" female	PB	35HR16
2000-0039	2020-1023	GS35-2-PC-R	2 7/8"	10' power cord with rollswitch, 30" female	PC	35HR16
2000-0040	2020-1024	GS35-2-PC-R	2 7/8"	10' power cord with rollswitch, 30" female	BN	35HR16
2000-0026	2020-1030	GS35-3-AB-R	2 7/8"	30" male & female	AB	35HR16
2000-0027	2020-1031	GS35-3-BK-R	2 7/8"	30" male & female	BK	35HR16
2000-0028	2020-1032	GS35-3-PB-R	2 7/8"	30" male & female	PB	35HR16
2000-0029	2020-1033	GS35-3-PC-R	2 7/8"	30" male & female	PC	35HR16
2000-0034	2020-1034	GS35-3-BN-R	2 7/8"	30" male & female	BN	35HR16
2000-0030	2020-1040	GS35-4-AB-R	2 7/8"	30" male	AB	35HR16
2000-0031	2020-1041	GS35-4-BK-R	2 7/8"	30" male	BK	35HR16
2000-0032	2020-1042	GS35-4-PB-R	2 7/8"	30" male	PB	35HR16
2000-0033	2020-1043	GS35-4-PC-R	2 7/8"	30" male	PC	35HR16
2000-0035	2020-1044	GS35-4-BN-R	2 7/8"	30" male	BN	35HR16
N/A	2020-2010	GS40-1-AB-R	2 7/8"	10' power cord with rollswitch	AB	40R14
N/A	2020-2011	GS40-1-BK-R	2 7/8"	10' power cord with rollswitch	BK	40R14
N/A	2020-2012	GS40-1-PB-R	2 7/8"	10' power cord with rollswitch	PB	40R14
N/A	2020-2013	GS40-1-PC-R	2 7/8"	10' power cord with rollswitch	PC	40R14
N/A	2020-2014	GS40-1-BN-R	2 7/8"	10' power cord with rollswitch	BN	40R14
2000-0046	2020-2020	GS40-2-AB-R	2 7/8"	10' power cord with rollswitch, 30" female	AB	40R14
2000-0047	2020-2021	GS40-2-BK-R	2 7/8"	10' power cord with rollswitch, 30" female	BK	40R14
2000-0049	2020-2022	GS40-2-PB-R	2 7/8"	10' power cord with rollswitch, 30" female	PB	40R14
2000-0050	2020-2023	GS40-2-PC-R	2 7/8"	10' power cord with rollswitch, 30" female	PC	40R14
2000-0048	2020-2024	GS40-2-BN-R	2 7/8"	10' power cord with rollswitch, 30" female	BN	40R14
2000-0051	2020-2030	GS40-3-AB-R	2 7/8"	30" male & female	AB	40R14
2000-0052	2020-2031	GS40-3-BK-R	2 7/8"	30" male & female	BK	40R14
2000-0053	2020-2032	GS40-3-PB-R	2 7/8"	30" male & female	PB	40R14
2000-0054	2020-2033	GS40-3-PC-R	2 7/8"	30" male & female	PC	40R14
2000-0059	2020-2034	GS40-3-BN-R	2 7/8"	30" male & female	BN	40R14
2000-0055	2020-2040	GS40-4-AB-R	2 7/8"	30" male	AB	40R14
2000-0056	2020-2041	GS40-4-BK-R	2 7/8"	30" male	BK	40R14
2000-0057	2020-2042	GS40-4-PB-R	2 7/8"	30" male	PB	40R14
2000-0058	2020-2043	GS40-4-PC-R	2 7/8"	30" male	PC	40R14
2000-0060	2020-2044	GS40-4-BN-R	2 7/8"	30" male	BN	40R14

ordering information

item number t-shape female	item number standard female	catalog number	height	wiring	finish	lamp
N/A	2020-3010	HW50-1-AB-R	3 5/8"	10' power cord with rollswitch	AB	50PAR20
N/A	2020-3011	HW50-1-BK-R	3 5/8"	10' power cord with rollswitch	BK	50PAR20
N/A	2020-3012	HW50-1-PB-R	3 5/8"	10' power cord with rollswitch	PB	50PAR20
N/A	2020-3013	HW50-1-PC-R	3 5/8"	10' power cord with rollswitch	PC	50PAR20
N/A	2020-3014	HW50-1-BN-R	3 5/8"	10' power cord with rollswitch	BN	50PAR20
2000-0120	2020-3020	HW50-2-AB-R	3 5/8"	10' power cord with rollswitch, 30" female	AB	50PAR20
2000-0121	2020-3021	HW50-2-BK-R	3 5/8"	10' power cord with rollswitch, 30" female	BK	50PAR20
2000-0123	2020-3022	HW50-2-PB-R	3 5/8"	10' power cord with rollswitch, 30" female	PB	50PAR20
2000-0124	2020-3023	HW50-2-PC-R	3 5/8"	10' power cord with rollswitch, 30" female	PC	50PAR20
2000-0122	TBD	HW50-2-BN-R	3 5/8"	10' power cord with rollswitch, 30" female	BN	50PAR20
2000-0126	2020-3030	HW50-3-AB-R	3 5/8"	30" male & female	AB	50PAR20
2000-0127	2020-3031	HW50-3-BK-R	3 5/8"	30" male & female	BK	50PAR20
2000-0128	2020-3032	HW50-3-PB-R	3 5/8"	30" male & female	PB	50PAR20
2000-0129	2020-3033	HW50-3-PC-R	3 5/8"	30" male & female	PC	50PAR20
2000-0134	2020-3037	HW50-3-BN-R	3 5/8"	30" male & female	BN	50PAR20
2000-0130	2020-3038	HW50-4-AB-R	3 5/8"	30" male	AB	50PAR20
2000-0131	2020-3034	HW50-4-BK-R	3 5/8"	30" male	BK	50PAR20
2000-0132	2020-3042	HW50-4-PB-R	3 5/8"	30" male	PB	50PAR20
2000-0133	2020-3043	HW50-4-PC-R	3 5/8"	30" male	PC	50PAR20
2000-0135	2020-3044	HW50-4-BN-R	3 5/8"	30" male	BN	50PAR20
N/A	2020-4011	TV-1-BK-R	4 1/2"	10' power cord with rollswitch	BK	50R20
N/A	2020-4012	TV-1-PB-R	4 1/2"	10' power cord with rollswitch	PB	50R20
TBD	2020-4021	TV-2-BK-R	4 1/2"	10' power cord with rollswitch, 30" female	BK	50R20
TBD	2020-4022	TV-2-PB-R	4 1/2"	10' power cord with rollswitch, 30" female	PB	50R20
2000-0141	2020-3061	TV-3-BK-R	4 1/2"	30" male & female	BK	50R20
2000-0142	2020-3062	TV-3-PB-R	4 1/2"	30" male & female	PB	50R20
2000-0145	2020-3071	TV-4-BK-R	4 1/2"	30" male	BK	50R20
2000-0146	2020-3072	TV-4-PB-R	4 1/2"	30" male	PB	50R20

power cordset ordering information

t-shape female	standard female	catalog number	description
7000-0002	7000-0728	#211 cordset	10' cord with standard male plug, rollswitch, & rollswitch holder

See Control Devices and Accessories spec sheets for additional options.

lamps and parts

item number	description
350-1840	mounting ring
337-250	socket for medium base cans (GS, HW, TV)
398-1370	40R14 lamp
398-995	35HR16 halogen lamp
485-175	50PAR20 halogen lamp
398-1580	50R20 lamp

See Lamps spec sheet for additional options.